


# RTMS Smart Micro Tips

- + High performance active tips for micro and standard components
- + Covers the widest range of geometries and sizes
- + MIL-SPEC / IPC standard (potential free, MS versions)



## CHISEL



For use with



Article name		Watt	Soldering Iron	Safety Rests	Length (mm) (inch.)	a / b (mm) (inch.)	Order No.
RTMS 003 S NW MS	MIL-SPEC VERSION AVAILABLE	40	WXMP5 MS	WSR 200	19.6 0.772	0.3 / 0.1 0.012 / 0.004	T0050115299
RTMS 004 S MS	MIL-SPEC VERSION AVAILABLE	40	WXMP5 MS	WSR 200	19.0 0.748	0.4 / 0.2 0.016 / 0.008	T0050109099
RTMS 006 S MS	MIL-SPEC VERSION AVAILABLE	40	WXMP5 MS	WSR 200	23.0 0.906	0.6 / 0.4 0.024 / 0.016	T0050108399
RTMS 008 S MS	MIL-SPEC VERSION AVAILABLE	40	WXMP5 MS	WSR 200	23.0 0.906	0.8 / 0.4 0.031 / 0.016	T0050109799
RTMS 008 S X MS	MIL-SPEC VERSION AVAILABLE	40	WXMP5 MS	WSR 200	23.0 0.906	0.8 / 0.4 0.031 / 0.016	T0050109499
RTMS 010 S MS	MIL-SPEC VERSION AVAILABLE	40	WXMP5 MS	WSR 200	18.0 0.709	1.0 / 0.3 0.039 / 0.012	T0050108499
RTMS 013 S MS	MIL-SPEC VERSION AVAILABLE	40	WXMP5 MS	WSR 200	19.0 0.748	1.3 / 0.4 0.051 / 0.016	T0050109199
RTMS 013 S X MS	MIL-SPEC VERSION AVAILABLE	30	WXMP5 MS	WSR 200	28.0 1.102	1.3 / 0.5 0.051 / 0.020	T0050108899
RTMS 015 S MS	MIL-SPEC VERSION AVAILABLE	40	WXMP MS	WSR 200	28.0 1.102	1.5 / 0.5 0.059 / 0.020	T0050109399

# VERSATILE PERFORMANCE

## SOLDERING IRONS

**WXPS MS**  
40 W (55W)  
T0052919299N




### Heat up time





\*from 50°C to 350°C / 120°F to 620°F



### Component size



Article name			Watt	Soldering Iron	Safety Rests	Length (mm) (inch.)	a / b (mm) (inch.)	Order No.
<b>RTMS 018 S MS</b>	<b>MIL-SPEC</b> VERSION AVAILABLE		40	WXMPS MS	WSR 200	18.0 0.709	1.8 / 0.4 0.071 / 0.016	T0050108599
<b>RTMS 022 S MS</b>	<b>MIL-SPEC</b> VERSION AVAILABLE		40	WXMPS MS	WSR 200	18.0 0.709	2.2 / 0.4 0.087 / 0.016	T0050109699

Connecting the Future of Soldering

Find more information on

[www.weller-tools.com/wxsmart](http://www.weller-tools.com/wxsmart)